

413 BROWLIFT

set up same as FACELIFT
may include Facelift, Upper and/or Lower Blepharoplasty

updated November 10, 2013
Page 1

OPERATIVE TIME	2 hours
USUAL LOCATION: Day surgery only	ASSISTANT: yes
ICD9 CODE: V50.1ELECTIVE COSMETIC, 744.9 FACIAL ANOMALY	CPT CODE(S): 67900 repair brow ptosis
ANESTHESIA NOTES	<u>Local anesthesia:</u> patient receives preop Valium, (Clonidine prn). Moderate sedation protocol. Nasal O ₂ cannula with CO ₂ monitor <u>General anesthesia:</u> Plexipulses, Foley catheter (optional), on OR table (not stretcher). Sew in tube with 0-Vicryl CT1, needle holder, scissors
PATIENT POSITION SETUP	<u>HOLDING AREA:</u> On Stryker eye bed. Dr. C marks in holding. Start IV on right side. <u>IN OR:</u> Position patient bed flat, pillow under knees, terry cloth, gel pad under neck, towels, blue Chux under head. [2] blankets to tuck arms. Rotate bed clockwise 135°. Aquaphor to lips.
ROOM SETUP	Warm room to 70°, then lower to 68° after pt. draped [2] ring stands for dirty sponges [3] Mayo stands, [1] large back table
EQUIPMENT	Headlight w/ [2]light sources, hydraulic stool ✓ Dr. C's ice cooler - get ice early
PREP	PCMX, 4x4 sponge box - <i>do not add water.</i> Prep lightly to face, eyelids, forehead, neck, behind hairline
DRAPING	Head sheet, 1000 drape, split sheet, 4 towels, [2] towel packs
CAUTERY	Bovie 20/20 pure w/ flat silver tip. Bi-polar with cord, disposable green bipolar forceps set to 15. [2] bovie holsters.
SUCTION	[2] suction tubing: Saf-T-Vac and baby Yankauer
SOLUTIONS IRRIGATION	[2] liters NS irrigation, [2] Asepto syringes crushed ice to mix with saline for irrigation
NEEDLES SYRINGES	[4] 25g 1½" needles (10cc) [4] 10cc syringes [2] 27g 1¼" needles (10cc) [4] 3cc syringes [4] 30g ½" needles (3cc) [1] 20cc syringe w/ 20g angiocath for irrigating
LOCAL ANESTHETIC & SOLUTIONS	1% Lidocaine w/epi in [4] 3cc syringes MIX 50/50 in [4] 10cc syringes: 1% lidocaine w/ epi + 0.5% Marcaine w/epi NOTE: If browlift is combined w/ facelift, use facelift solutions only, no additional local mixtures needed
MEDICATIONS	<ul style="list-style-type: none">• [2] Versed• [2] Fentanyl• [1] Zofran• [1] Kefzol• Bacitracin ointment 2oz

413 BROWLIFT		Page 2			
SETS TO OPEN		Facelift set, fine facial set			
INSTRUMENTS [3] Mayo stands; [2] Basin stands					
1 st MAYO – Opening and dissection					
2 nd MAYO – Local infiltration: syringes and needles, then dressings					
3 rd MAYO – Closure instruments					
■ FORCEPS		01 - 05 - 08 Adsons, Smooth Adson, Bishop Harmon smooth			
■ SCISSORS		super cut Metz, str Metz, mini-Metz, str mayo, Stevens tenotomy, Gradles, baby, mama and papa bears			
■ NEEDLE HOLDERS		Mayo Hagar, Crile Wood			
■ RETRACTORS		Maxwell facelift, small Freeman facelift, [2] large facelift, Senn, Chin retractor			
■ KNIFE BLADES		[6] No. 10 blades			
■ OTHER					
STERILE SUPPLIES		<ul style="list-style-type: none"> ● steri-drape 1000 ● [2] needle counters ● cotton balls for ears ● [4] surgical marker pens ● [2] small Tegaderm for eyes ● Mastisol if local ● magnetic pad ● ½" steri-strips ● [2] Asepto syringes 			
SPONGES		[3] Raytec, [2] Lap			
		No	Type	SN	status
SUTURES		● [2]	2-0 Monocryl CT-1	Y941	open
		● [2]	3-0 Monocryl SH	Y416	hold
		● [4]	3-0 nylon PS-1	1663	hold
		● [2]	5-0 Monocryl P-3	Y493	hold
		● [4]	3-0 Chromic PS-2	1638	open
		● [4]	4-0 Chromic PS-2	1637	open
		● [2]	5-0 Chromic P3	687	hold
		● [2]	5-0 Prolene PC-3	8635	hold
		● [2]	5-0 Plain P3	686	hold
		● [1]	0 Ethibond CT1 - General only		hold
DRAINS		NONE, unless doing facelift			
DRESSINGS on MAYO		<ul style="list-style-type: none"> ● Bacitracin ointment ● tongue blade ● [2] 4x4's ● [1] ABD ● [2] 18x3 Vaseline gauze ● [2] Kerlix ● 4" Ace ● Lister's bandage scissors 			
POSTOPERATIVE		Crushed ice for irrigation and eyes Remove head cushion, put pillow under head, lift head of bed			
COMMENTS					
DATE MODIFIED		Jun 6 2006, Aug 2007, Mar 2008, Dec 2008, May 2009, Mar 2011, Aug 2011, Mar 2012, Jul 2013, Nov 2013			