

# PEDIATRIC DOSING CHART - DR. CUADROS

Please weigh: ➤ \_\_\_\_\_ Kg = ➤ \_\_\_\_\_ Lbs \_\_\_\_\_ Oz.  
(Kilograms) (Pounds) (Ounces)

Weight Kg	IV FLUIDS D5½NS cc/hr	KEFZOL mg IV 25mg/kg q8h	MS mg IV q1-2h	TYLENOL mg q4h PRN	TYLENOL/codeine cc q4h PRN
4	17	100	0.125	60	1-2cc
5	21	125	0.125	75	1-2cc
6	25	150	0.25	90	1-2cc
7	29	175	0.25	105	2cc
8	33	200	0.25	120	2cc
9	38	225	0.5	135	2cc
10	42	250	0.5	150	2-3cc
12	45	300	0.5	180	2-3cc
15	52	375	1.0	225	3cc
20	63	500	1.0	300	3cc
25	67	625	2.0	375	3-4cc
30	71	750	2.0	450	3-4cc
35	75	875	2.0	525	4cc
40	79	1000	2.5	600	5cc

**Preoperative Diet** orders: NPO solids 8 hours - Formula & Milk 6 hours - Breast Milk 4 hours - Clear Liquids 2 hours.

**Acetaminophen** [TYLENOL] 15mg/kg Q4h

**Midazolam** [VERSED] oral medication 0.5mg/kg in 5cc Tylenol elixir

**Topical oral analgesia:** Mix 10cc Viscous lidocaine 2% + 10cc Benadryl Elixir; 1-2cc PRN.

**Codeine:** 0.5 -1.0 mg/kg q4-6h; Elixir 5ml = 120mg acetaminophen + 12 mg codeine. 2.4mg codeine/cc;1mg/.416 cc

**Ondansetron** [ZOFRAN]: under 40kg give 0.1-mg/kg. Over 40kg give 4-mg

**Promethazine** [PHENERGAN]: not for under 2 years. Oral 0.2 mg/kg, Rectal 6.25-12.5 mg PR

**Metoclopramide** [REGLAN] (0.1-0.25 mg/kg)

**Diphenhydramine** [BENADRYL] (0.5-1 mg/kg)

**Fentanyl:** 1-2 mcg/kg Q1-4h, 0.5-1 mcg/kg/hr infusion

**Naloxone** [NARCAN]: (0.01mg/kg) repeat Q5min

(Place patient label here)